Table ENG-5. - Sanitary Facilities

Greene County, Virginia

The information in this table indicates the dominant soil condition, but does not eliminate the need for onsite investigation. The numbers in the value column range from 0.01 to 1.00. The larger the value, the greater the potential limitation. Limiting features in this report are limited to the top 5 limitations. Additional limitations may exist.


Map Symbol and Soil Name	Pct of	Septic Tank Absorption Fields		Sewage Lagoons	
	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
AsC: Ashe	85	Very limited Depth to bedrock Slope	1.00 0.37	Very limited Depth to hard bedrock Slope	1.00 1.00
AsD: Ashe	85	Very limited Depth to bedrock Slope	1.00 1.00	Seepage Very limited Depth to hard bedrock Slope	1.00 1.00 1.00
AsE: Ashe	85	Very limited Depth to bedrock	1.00	Seepage Very limited Depth to hard bedrock	1.00
		Slope	1.00	Slope Seepage	1.00 1.00
AvD: Ashe	85	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00
AvE: Ashe	85	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00
BaB: Belvoir	85	Very limited Depth to cemented pan Depth to saturated zone Restricted permeability	1.00 1.00 0.50	Very limited Depth to cemented pan Slope Seepage	1.00 0.68 0.50
Chatuge	3	Not Rated		Not Rated	
BcB: Braddock BcC:	85	Somewhat limited Restricted permeability	0.50	Somewhat limited Slope Seepage	0.68 0.50



Map Symbol and Soil Name	Pct of	Septic Tank Absorption Fields		Sewage Lagoons	
	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
BcC: Braddock	85	Somewhat limited Restricted permeability Slope	0.50 0.37	Very limited Slope Seepage	1.00 0.50
BdD3: Braddock	85	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 0.50
BuC: Buckhall	85	Somewhat limited Restricted permeability Slope	0.50 0.37	Very limited Slope Seepage	1.00 0.50
BuD: Buckhall	85	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 0.50
CaE: Cataska	85	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to soft bedrock Slope Seepage	1.00 1.00 1.00
CcE: Catoctin	55	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00
Rock outcrop	30	Not Rated		Not Rated	
CgB: Chatuge	85	Very limited Flooding Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Flooding Seepage Depth to saturated zone	1.00 1.00 1.00
ChC: Chester ChD:	85	Somewhat limited Restricted permeability Slope	0.50 0.37	Very limited Slope Seepage	1.00 0.50



Map Symbol and Soil Name	Pct of	Septic Tank Absorption Fields		Sewage Lagoons	
	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
ChD: Chester	85	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 0.50
CmC: Chester	50	Somewhat limited Restricted permeability Slope	0.50 0.37	Very limited Slope Seepage	1.00 0.50
Parker	30	Very limited Filtering capacity Depth to bedrock Slope	1.00 0.86 0.37	Very limited Slope Seepage Depth to hard bedrock	1.00 1.00 0.61
CmD:					
Chester	50	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 0.50
Parker	30	Very limited Slope Filtering capacity Depth to bedrock	1.00 1.00 0.86	Very limited Slope Seepage Depth to hard bedrock	1.00 1.00 0.61
Cn:					
Codorus	85	Very limited Flooding Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00
Kinkora	3	Not Rated		Not Rated	
Cs: Comus	85	Very limited Flooding Restricted permeability	1.00 0.50	Very limited Flooding Seepage	1.00 1.00
Hatboro	3	Not Rated		Not Rated	
Cv: Craigsville	85	Very limited Flooding Filtering capacity Content of large stones	1.00 1.00 0.49	Very limited Flooding Seepage Content of large stones	1.00 1.00 0.01




Map Symbol and Soil Name	Pct of	of		Sewage Lagoons		
	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	
Cv:						
Hatboro	3	Not Rated		Not Rated		
DkB3:						
Dyke	85	Somewhat limited		Somewhat limited		
		Restricted permeability	0.50	Slope Seepage	0.68 0.50	
DkC3:						
Dyke	85	Somewhat limited		Very limited		
		Restricted	0.50	Slope	1.00	
		permeability Slope	0.37	Seepage	0.50	
		оюре	0.57			
EIB:	0.5	O a managed at the stand		O t t - t t		
Elioak	85	Somewhat limited Restricted	0.50	Somewhat limited	0.68	
		permeability	0.50	Slope Seepage	0.50	
EIC:						
Elioak	85	Somewhat limited		Very limited		
		Restricted	0.50	Slope	1.00	
		permeability Slope	0.37	Seepage	0.50	
EnC3:		•				
Elioak	85	Somewhat limited		Very limited		
		Restricted	0.50	Slope	1.00	
		permeability		Seepage	0.50	
		Slope	0.37			
EnD3:						
Elioak	85	Very limited Slope	1.00	Very limited Slope	1.00	
		Restricted	0.50	Seepage	0.50	
		permeability		0100130		
GIC:						
Glenelg	85	Somewhat limited		Very limited		
		Restricted permeability	0.50	Slope	1.00	
		Slope	0.37	Seepage	0.50	
GID:						
Glenelg	85	Very limited		Very limited		
		Slope	1.00	Slope	1.00	
		Restricted permeability	0.50	Seepage	0.50	
Hb:						



Map Symbol and Soil Name	Pct of	Septic Tank Absorption Field	S	Sewage Lagoons		
	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	
Hb:						
Hatboro	85	Very limited		Very limited		
		Flooding	1.00	Flooding	1.00	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	
		Restricted permeability	0.50	Seepage	1.00	
Kinkora	3	Not Rated		Not Rated		
HzD:						
Hazel	85	Very limited		Very limited		
		Depth to bedrock	1.00	Depth to hard bedrock	1.00	
		Slope	1.00	Slope	1.00	
				Seepage	1.00	
HzE:						
Hazel	85	Very limited		Very limited		
		Depth to bedrock	1.00	Depth to hard bedrock	1.00	
		Slope	1.00	Slope	1.00	
				Seepage	1.00	
Kn:						
Kinkora	85	Very limited		Very limited		
		Restricted	1.00	Depth to saturated	1.00	
		permeability	4.00	zone	0.50	
		Depth to saturated zone	1.00	Seepage	0.50	
		Flooding	0.40	Flooding	0.40	
Hatboro	3	Not Rated		Not Rated		
LaC						
LeC: Lew	85	Somewhat limited		Very limited		
2011	00	Restricted	0.50	Slope	1.00	
		permeability	0.00	Seepage	1.00	
		Slope	0.37	Content of large	<0.01	
				stones		
LeD:						
Lew	85	Very limited		Very limited		
		Slope	1.00	Slope	1.00	
		Restricted	0.50	Seepage	1.00	
		permeability		Content of large stones	<0.01	
				3101100		
1 a C.						





Map Symbol and Soil Name	Pct of	Septic Tank Absorption Fields		Sewage Lagoons	
	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
LeE: Lew	85	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage Content of large stones	1.00 1.00 <0.01
MvB: Meadowville	85	Very limited Depth to saturated zone	1.00	Very limited Seepage Depth to saturated zone Slope	1.00 0.71 0.68
Chatuge	3	Not Rated		Not Rated	
MxC: Myersville	50	Somewhat limited Depth to bedrock Restricted permeability Slope	0.96 0.50 0.37	Very limited Slope Depth to soft bedrock Seepage	1.00 0.88 0.50
Catoctin	35	Very limited Depth to bedrock Slope	1.00 0.37	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00
MyD:					
Myersville	50	Very limited Slope Depth to bedrock Restricted permeability	1.00 0.96 0.50	Very limited Slope Depth to soft bedrock Seepage	1.00 0.88 0.50
Catoctin	35	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00
MyE: Myersville	50	Very limited Slope Depth to bedrock Restricted permeability	1.00 0.96 0.50	Very limited Slope Depth to soft bedrock Seepage	1.00 0.88 0.50
Catoctin	35	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00



Map Symbol and Soil Name	Pct of	Septic Tank Absorption Fields		Sewage Lagoons	
	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
PrE:					
Parker	85	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
		Depth to bedrock	0.86	Depth to hard bedrock	0.61
Sc:					
Suches	45	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Depth to saturated	1.00	Depth to saturated	0.92
		zone	0.50	zone	0.50
		Restricted permeability	0.50	Seepage	0.50
Codorus	30	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Filtering capacity	1.00	Seepage	1.00
Hatboro	3	Not Rated		Not Rated	
Kinkora	3	Not Rated		Not Rated	
ThC:					
Thurmont	85	Somewhat limited		Very limited	
		Restricted	0.50	Slope	1.00
		permeability		Seepage	0.50
		Depth to saturated zone	0.40		
		Slope	0.37		
		5.575			
ThD:					
Thurmont	85	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
		Depth to saturated zone	0.40		
TvD:					
Thurmont	85	Very limited		Very limited	
mamone	00	Slope	1.00	Slope	1.00
		Restricted	0.50	Seepage	0.50
		permeability		, 0	
		Depth to saturated zone	0.40		
Ud:					
Udorthents	85	Not Rated		Not Rated	
UnA:					



Map Symbol and Soil Name	Pct of	Septic Tank Absorption Fields				
	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	
UnA:	•					
Unison	85	Somewhat limited		Very limited		
		Restricted permeability	0.50	Seepage	1.00	
UnB:						
Unison	85	Somewhat limited		Very limited		
		Restricted	0.50	Seepage	1.00	
		permeability		Slope	0.68	
UnC:						
Unison	85	Somewhat limited		Very limited		
		Restricted permeability	0.50	Slope Seepage	1.00 1.00	
		Slope	0.37			